



OPTIONAL: CONNECT UNIFI TV MEDIA BOX TO THE WI-FI 6 ROUTER




- If you have a Unifi TV Media Box (white box or Unifi Plus Hybrid Box), connect the Media Box cable from LAN port to the new Wi-Fi 6 Router LAN 3 port. For Unifi Plus Box (UPB), you can just connect to the Wi-Fi network.

For further assistance regarding the setup, please contact us at **1800-88-5059** (working hours 8.30am - 5.30pm, Monday - Friday)




WI-FI 6 ROUTER

ITEMS FOR INSTALLATION:



Wi-Fi 6 Router



Modem (BTU)



Unifi TV Media Box


OPTIONAL:

IMPORTANT NOTE:


Once you have received your router package containing your new Wi-Fi 6 Router, you are advised to install the router within 7 days. During installation, please follow the labelled instructions for Wi-Fi 6 Router.

Installation after 7 days from receiving the package will require assistance for setup. Please contact us at **1800-88-5059** to complete it.

1



2



PART 1: CONNECT THE NEW WI-FI 6 ROUTER TO THE MODEM

- Before we start, unbox your new Wi-Fi 6 Router.
- Mark your old cable connection before disconnecting it from the old router port to avoid any incorrect connections on the new router port.

1

Connect the cable from the WAN port of your new Wi-Fi 6 Router to the LAN 1 port of your existing modem.


2

Connect the Wi-Fi 6 Router power adapter to your power supply socket and switch it on.

- Please wait between 15 to 30 minutes for our system to run the auto-configuration and establish the connection.
- Once you are connected, you will receive your new broadband password via SMS for your future reference. This password has been auto-configured in your new Wi-Fi 6 Router.
- You will also get a new default Wi-Fi network name (SSID) and password which can be found at the bottom of the new Wi-Fi 6 Router.




TAMBAHAN: SAMBUNGAN KOTAK MEDIA UNIFI TV KE ROUTER WI-FI 6



- Jika anda mempunyai kotak Media Unifi TV (kotak putih atau Unifi Plus Hybrid Box), sambungkan kabel kotak Media daripada LAN ke port LAN 3 Router Wi-Fi 6 baharu. Untuk Unifi Plus Box (UPB) anda hanya perlu sambungkan kepada sambungan Wi-Fi.

Untuk bantuan lanjut mengenai pemasangan, sila hubungi kami di **1800-88-5059** (waktu pejabat 8.30 pagi - 5.30 petang, Isnin - Jumaat)




WI-FI 6 ROUTER

KOMPONEN UNTUK PEMASANGAN:

TAMBAHAN:



Router Wi-Fi 6



Modem (BTU)




Kotak Media Unifi TV

NOTA PENTING:


Setelah menerima bungkusan pakej Router Wi-Fi 6 baharu anda, pemasangan router tersebut harus dilakukan dalam 7 hari. Sila ikut arahan yang disediakan semasa proses pemasangan Router Wi-Fi 6.

Pemasangan selepas hari ke-7 perlu mendapatkan bantuan pemasangan. Hubungi kami di **1800-88-5059** untuk pemasangan lengkap.

1



2



BAHAGIAN 1: SAMBUNGAN ROUTER WI-FI 6 BAHARU KE MODEM

- Sebelum kita mulakan, buka bungkus Router Wi-Fi 6 baharu.
- Tandakan kabel lama anda sebelum ditanggalkan daripada port *router* lama untuk mengelakkan sebarang kesalahan sambungan kepada port *router* baharu.

1 Sambungkan kabel daripada port WAN Router Wi-Fi 6 baharu kepada port LAN 1 modem sedia ada.

2 Sambungkan penyesuai kuasa Router Wi-Fi 6 ke soket bekalan kuasa dan hidupkan.

- Sila tunggu 15 - 30 minit untuk sistem konfigurasi automatik dijalankan dan sambungan talian diwujudkan.
- Selepas talian disambung, anda akan menerima kata laluan jalur lebar baharu melalui SMS sebagai rujukan untuk masa hadapan. Kata laluan tersebut telah disediakan secara automatik dalam Router Wi-Fi 6 baharu anda.
- Anda juga akan mendapat SSID dan kata laluan baharu yang boleh dirujuk di bahagian bawah Router Wi-Fi 6.

